

THE BIG FOUR

Problem Solving with Computers-II

The image shows the C++ logo in blue, with the text "C++" in a bold, sans-serif font. Below the logo is a snippet of C++ code in a monospaced font, tilted slightly to the right. The code is:

```
#include <iostream>
using namespace std;
int main(){
    cout<<"Hola Facebook\n";
    return 0;
}
```

CLICKERS OUT

How did h01 (specifically the CS16 final) go?

- A. I think I did well
- B. Found it a bit difficult
- C. Found some concepts unfamiliar
- D. Extremely difficult
- E. Didn't attempt

The Big Four

1. Constructor
2. Destructor
3. Copy Constructor
4. Copy Assignment

Constructor and Destructor

Every class has the following special methods:

- Constructor: Called right AFTER new objects are created in memory
- Destructor: Called right BEFORE an object is deleted from memory

The compiler automatically generates default versions, but you can override them

Constructor (last class)

```
void foo(){  
    Complex c;  
    Complex* c2 = new Complex;  
    Complex c3(10, 5);  
}
```

How many times is the constructor called in the above code?

A. Never

B. Once

C. Twice

D. Thrice

Initialization lists

- * Used to initialize member variables at the time they are created
- * Must be used to initialize constant member variables

Destructor

- Must have the same name as the class preceded by a ~ (tilde)
- Does not have a return type
- Called right BEFORE an object is deleted from memory

Destructor

```
void foo(){  
    Quadratic p;  
    Quadratic *q = new Quadratic;  
}
```

The destructor of which of the objects is called after foo() returns?

- A. p
- B. q
- C. *q
- D. None of the above

Copy constructor

- Creates a new object and initializes it using an existing object

Copy constructor

- In which of the following cases is the copy constructor called?

A. `Quadratic p1; Quadratic p2(1, 2, 3);`

B. `Quadratic p1(1, 2, 3); Quadratic p2(p1);`

C. `Quadratic *p1 = new Quadratic(1, 2, 3);`

`Quadratic p2 = *p1;`

D. B&C

E. A, B & C

Copy assignment

- Default behavior: Copies the member variables of one object into another

```
Quadratic p1(1, 2, 3); // Parametrized constructor  
Quadratic p2;  
p2 = p1; // Copy assignment function is called
```

```
double foo(Quadratic p){
    return p.evaluate(10);
}
int main(){
    Quadratic q(1, 2, 3);
    foo(q);
}
```

Which of the following special methods is called as a result of calling foo?

A. Parameterized constructor

B. Copy constructor

C. Copy Assignment

D. Destructor

Summary

- Classes have member variables and member functions (method). An object is a variable where the data type is a class.
- You should know how to declare a new class type, how to implement its member functions, how to use the class type.
- Frequently, the member functions of a class type place information in the member variables, or use information that's already in the member variables.
- New functionality may be added using non-member functions, friend functions, and operator overloading (next lectures)

Next time

- Linked Lists and operator overloading