

# LINKED LISTS (CONTD)

## RULE OF THREE

## OPERATOR OVERLOADING

---


Problem Solving with Computers-II

# C++

```
#include <iostream>
using namespace std;


int main(){
    cout<<"Hola Facebook\n";
    return 0;
}
```





# Memory Errors

- Memory Leak: Program does not free memory allocated on the heap.



- Segmentation Fault: Code tries to access an invalid memory location


# RULE OF THREE

If a class overload one (or more) of the following methods, it should overload all three methods:


1. Destructor *override*
2. Copy constructor
3. Copy assignment

The questions we ask are:

1. What is the behavior of these defaults?
2. What is the desired behavior ?
3. How should we over-ride these methods?



linked list mm \$ tle??



```
void test_append_0(){
    LinkedList ll;
    ll.append(10);
    ll.print();
}
```

### Assume:

- \* Default destructor
- \* Default copy constructor
- \* Default copy assignment

What is the result of running the above code?

- A. Compiler error
- B. Memory leak
- C. Segmentation fault
- D. None of the above

## Why do we need to write a destructor for LinkedList?

- A. To free LinkedList objects
- B. To free Nodes in a LinkedList
- C. Both A and B
- D. None of the above

# Behavior of default copy constructor

```
void test_copy_constructor(){
    LinkedList l1;
    l1.append(1);
    l1.append(2);
    LinkedList l2{l1};
    // calls the copy c'tor
    l1.print();
    l2.print();
}
```

**Assume:**

**destructor: overloaded**

**copy constructor: default**

What is the output?

- A. Compiler error
- B. Memory leak
- C. Segmentation fault
- D. All of the above
- E. None of the above

# Behavior of default copy assignment

I1 : 1 -> 2 -> 5 -> null

```
void default_assignment_1(LinkedList& l1){  
    LinkedList l2;  
    l2 = l1;  
}
```

- \* What is the behavior of the default assignment operator?

**Assume:**

- \* **Overloaded destructor**
- \* **Default copy constructor**
- \* **Default copy assignment**

# Behavior of default copy assignment

```
void test_default_assignment_2(){
    LinkedList l1, l2;
    l1.append(1);
    l1.append(2)
    l2 = l1;
    l2.print()
}
```

What is the result of running the above code?

- A. Prints 1 , 2
- B. Segmentation fault
- C. Memory leak
- D. A &B
- E. A, B and C

**Assume:**

- \* Overloaded destructor
- \* Default copy constructor
- \* Default copy assignment

# Behavior of default copy assignment

```
void test_default_assignment_3(){
    LinkedList l1;
    l1.append(1);
    l1.append(2)
    LinkedList l2{l1};
    l2.append(10);
    l2.append(20);
    l2 = l1;
    l2.print()
}
```

What is the result of running the above code?

- A. Prints 1 , 2
- B. Segmentation fault
- C. Memory leak
- D. A &B
- E. A, B and C

**Assume:**

- \* Overloaded destructor
- \* Overloaded copy constructor
- \* Default copy assignment

# Overloading Binary Comparison Operators

We would like to be able to compare two objects of the class using the following operators

`==`

`!=`

and possibly others

```
void isEqual(const LinkedList & lst1, const LinkedList & lst2){  
    if(lst1 == lst2)  
        cout<<"Lists are equal"<<endl;  
    else  
        cout<<"Lists are not equal"<<endl;  
}
```

# Overloading Binary Arithmetic Operators

We would like to be able to add two points as follows

```
LinkedList 11, 12;
```

```
//append nodes to 11 and 12;
```

```
LinkedList 13 = 11 + 12 ;
```

# Overloading input/output stream

Wouldn't it be convenient if we could do this:

```
LinkedList list;  
cout<<list; //prints all the elements of list
```

## Next time

- Recursion + PA01