

IMPLEMENTING C++ CLASSES ACCESS SPECIFIERS CONSTRUCTORS

Problem Solving with Computers-II



```
#include <iostream>
using namespace std;
int main(){
    cout<<"Hola Facebook\n";
    return 0;
}
```

Read the syllabus. Know what's required. Know how to get help.

CLICKERS OUT – FREQUENCY AB

From last lecture...

- Last time we defined a class DayOfYear and wrote a main function that created objects of this class
- We did not implement the member functions of the class.
- When the code was compiled with g++, it resulted in a linker error but when we compiled with the -c option, compilation was successful. Why?
 - A. The -c option suppresses linker errors and produces an executable
 - B. The -c option does not attempt to link code and no executable is produced
 - C. None of the above

In Java:

```
public class DayOfYear {  
    public void setDate(int mon, int day){  
        dd = day;  
        mm = mon  
    }  
    private int dd;  
    private int mm;  
  
}
```

C++, attempt 1:

```
class DayOfYear {  
    public void setDate(int mon, int day);  
    private int dd;  
    private int mm;  
};
```

Which of the following is a problem with the C++ implementation above?

- A. The implementation of the member function setDate should be included in the class
- B. The class DayOfYear should be declared public
- C. The semicolon at the end of the class will cause a compile error
- D. In C++ you specify public and private in regions, not on each variable or function

Which of the following is **False**?

- A. Error in definition of **setDate**: member variables mm and dd should be accessed via objects
- B. Error in definition of **setDate**: missing scope operator in definition
- C. Objects declared outside the class cannot access the private member variables
- D. None of the above

C++, attempt 2:

```
class DayOfYear {  
  
public:  
    void setDate(int mon, int day);  
private:  
    int dd;  
    int mm;  
};  
void setDate(int mon, int day){  
    mm = mon;  
    dd = day;  
}  
  
int main(){  
    DayOfYear today;  
    today.setDate(1, 9);  
    cout<<"Today's date is: "  
    cout<< today.mm <<"/" << today.dd;  
    return 0;  
}
```

What will be printed by this code?

- A. 1/9
- B. 1/1**
- C. 12/1
- D. Compiler error
- E. None of the above

getMonth() & getDay()
are incorrectly modifying
the member variables

We can catch such errors at
compile time using const functions.

```
int main() {
    DayOfYear today;
    today.setDate(1, 9);
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
    return 0;
}
```

```
class DayOfYear {
public:
    void setDate(int mon, int day);
    int getMonth();
    int getDay();
private:
    int dd;
    int mm;
};

void DayOfYear::setDate(int mon, int day)
{
    mm = mon;
    dd = day;
}

int DayOfYear::getMonth()
{
    dd = 1;
    return mm;
}

Int DayOfYear::getDay()
{
    mm = 12;
    return dd;
}
```

How can we make sure that a function doesn't inadvertently change the member variables of the class?

- A. Declare the variables const (as shown)
- B. Declare the function as a const

If we declare the variables as const none of the class methods (including setDate) can modify their value.

```
int main() {
    DayOfYear today;
    today.setDate(1, 9);
    cout << "Today's date is: ";
    cout << today.getMonth() << "/" 
        << today.getDay();
}
```

```
class DayOfYear {
public:
    void setDate(int mon, int day);
    int getMonth();
    Int getDay();
private:
    const int dd;
    const int mm;
};

void DayOfYear::setDate(int mon, int day)
{
    mm = mon;
    dd = day;
}

int DayOfYear::getMonth()
{
    dd = 1;
    return mm;
}

int DayOfYear::getDay()
{
    mm = 12;
    return dd;
}
```

C++, attempt 5: this version is correct!!!

```
class DayOfYear {  
public:  
    void setDate(int mon, int day);  
    int getMonth() const; }  
    int getDay() const;  
private:  
    int dd;  
    int mm;  
};  
void DayOfYear::setDate(int mon, int day)  
{  
    mm = mon;  
    dd = day;  
}  
Int DayOfYear::getMonth() const{  
    return mm;  
}  
Int DayOfYear::getDay() const{  
    return dd;  
}
```

Mutator or setter

Accessors or getters

How can we make sure that a function doesn't inadvertently change the member variables of the class?

Declare the function as a const

Introduce new terms:

- **Accessors (getters)**
- **Mutators (setters)**
- **Abstract data type (ADT)**

```
int main(){  
    DayOfYear today;  
    today.setDate(1, 9);  
    cout<<"Today's date is: "  
    cout<< today.getMonth() <<"/"  
        << today.getDay();  
}
```

- What is the output of this code?

Some junk value

Member variables are not initialized

- Use an initialization function
(constructor)

```
int main(){
    DayOfYear today;
    // today.setDate(1, 9);
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
}
```

```
class DayOfYear {
public:
    void setDate(int mon, int day);
    int getMonth() const;
    int getDay() const;
private:
    int dd;
    int mm;
};

void DayOfYear::setDate(int mon, int day)
{
    mm = mon;
    dd = day;
}

Int DayOfYear::getMonth() const{
    return mm;
}

Int DayOfYear::getDay() const{
    return dd;
}
```

Constructor

Constructor: An “initialization” function that is guaranteed to be called when an object of the class is created

- * If you don't explicitly write a constructor, C++ will generate a default one for you
- * Member variables are initialized to junk values

```
int main(){  
    DayOfYear today;  
    today.setDate(1, 9);  
    cout<<"Today's date is: "  
    cout<< today.getMonth() <<"/"  
        << today.getDay();  
}
```

C++, attempt 5: We'll now try to improve this

```
class DayOfYear {  
  
public:  
    void setDate(int mon, int day);  
    void getMonth() const;  
    void getDay() const;  
private:  
    int dd;  
    int mm;  
};  
void DayOfYear::setDate(int mon, int day)  
{  
    mm = mon;  
    dd = day;  
}  
void DayOfYear::getMonth() const{  
    return mm;  
}  
void DayOfYear::getDay() const{  
    return dd;  
}
```

Constructor: Writing your own

- Constructors must have the same name as the class
- Constructors don't have a return type
- Different types of constructors
 1. Constructor with no parameters (default)
 2. Constructor with parameters (parameterized constructor)
 3. Constructor with parameters that have default values

```
int main(){
    DayOfYear today;
    //today.setDate(1, 9);
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
}
```

C++, attempt 6:

```
class DayOfYear {
```

public:

```
    void setDate(int mon, int day);
    void getMonth() const;
    void getDay() const;
```

*Day Of Year () {}
//Default constructor*

private:

```
    int dd;
    int mm;
```

```
};
```

//Function definitions omitted

Parametrized Constructor

```
int main(){
    DayOfYear today;
    //today.setDate(1, 9);
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
}
```

C++, attempt 7:

```
class DayOfYear {
public:
    void setDate(int mon, int day);
    void getMonth() const;
    void getDay() const;
    DayOfYear (int mon, int day);

private:
    int dd;
    int mm;
};

DayOfYear :: DayOfYear(int mon, int day)
{
    dd = day;
    mm = mon;
}

//Function definitions omitted
```

Parametrized Constructor

What is the output of this code?

- A Compiler error
- B. Junk values (default constructor is called)

If you write a constructor, the default will no longer be generated

```
int main(){
    DayOfYear today;
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
}
```

C++, attempt 7:

```
class DayOfYear {
public:
    void setDate(int mon, int day);
    void getMonth() const;
    void getDay() const;
    DayOfYear(int mon, int day);

private:
    int dd;
    int mm;
};

DayOfYear() ::DayOfYear(int mon, int day)
{
    mm = mon;
    dd = day;
}

//Function definitions omitted
```

Parametrized Constructor with default parameters

In the declaration of the parameterized constructor, specify default values for the parameters

Objects can be created in all the following ways:

DayOfYear today; *Default values are used*

DayOfYear today(1, 8);

DayOfYear today(2);

```
int main(){
    DayOfYear today;
    cout<<"Today's date is: ";
    cout<< today.getMonth() <<"/"
        << today.getDay();
}
```

C++, attempt 8:

```
class DayOfYear {
```

```
public:
```

```
void setDate(int mon, int day);
```

```
void getMonth() const;
```

```
void getDay() const;
```

```
DayOfYear(int mon=1, int day=1);
```

```
private:
```

```
int dd;
```

```
int mm;
```

```
};
```

```
DayOfYear() :: DayOfYear(int mon, int day)
```

```
{
```

```
    mm = mon;
```

```
    dd = day;
```

```
}
```

Default values for parameters

```
//Function definitions omitted
```

Summary

- Classes have member variables and member functions (method). An object is a variable where the data type is a class.
- You should know how to declare a new class type, how to implement its member functions, how to use the class type.
- Frequently, the member functions of an class type place information in the member variables, or use information that's already in the member variables.
- Constructors are used to initialized objects
- In the future we will see more features of OOP.

Next time

- The Big four: constructor, destructor, copy-constructor, copy-assignment